

, ' , 7HFKQ LF RDQ UGR 7RUUHV 4XHY 6SDRQ RXQGDWLRQ

,QQRYDWLRQ VHUYEHVZHLQW HHHHGHUBQLMURKSLWLQRIW&DQW
DQG FRPSDQLHV ZLWK VSHFLILF QHHGV RI ³.QRZ +RZ'

3K' 8QLYHUVLW\ RI &DQWDEULD 6DQWDQGHU 6SDLQ
x &RPSDUDWLYH VWXG\ DQG UHYLVLRQ ~~PROO~~ ~~NYNU~~ ~~DØL~~ ~~WQKV~~ \B
VSHFLHV DORQJ WKHLU GLVWULEXWL

(9\$/8\$7,21 2) 5(6(\$5&+ 352-(&76

Establishing Cryptic Biodiversity of Caribbean Sea Slugs* UDGXDWH :RPHQ LQ 6FL
1DWLRQDO)HOORZVKLS 3URJURSRVDOODE\ Q6DRDQWRD \$Q
6XSHUYLVRU 7 (*RVOLQHU &DOLIRUOLD \$FDGHP\ RI 6FLH

6&,(17,)& ('7,21

- o :HE 7D[RQRPLF (GLWRBUOR556HJLVWHU RI 0DULQH 6SHFLH
:R506 WR
- o :HE 7D[RQRPLF (GLWR,OW5HJLQ,WHG 0DULQH 'DWD 5HSRVLW
,VODQGV DY(DL,QDEOH VW 'HFHPEHU
- o -RXUQDO \$YLFHQQEBOR5HDDQGRURVLRXOQDOR\$VWHRUFLDWH (G
WR (GLWLRQ 6HFUMRDULDWYD%L+O DEOH DW

&2//(&7,216 0\$1\$*(0(17

x &ROOHFWLRQ\USVFWLWQGHV &ROOHFWLRQ\XP3QDWHRQDO5
G↑+LVWRLUH3DDWXUHDDFH MDQXDU\ WR WKH SUHV ORJ

3RVW GHJUHH FXUULFXOD GHVLJQ
&XUULFXOD GHVLJQHU

x

x³ & ULDWXUDV GHO 3DLV DUMDWHU PC HAAUWLF SFRGH & XEIDELWHG

5((9\$17 6.,//6 &2856(6

x 6&,(17,),& 3+272*5\$3+<

O 1DWXUH SKRWRJUDSR'DDQRG SPORW@#IQDSKQD

x),(//:25. 6.,//6

O 'LYHU)('\$6 &0\$6W DU VLQF,HVWVWUWQHG

O 0DVWHU 'LYHQF66,

O 1LWUR['LYHLQF66,

O 6WUHV 5HVFXH 'LYHU)LUVW \$,66,QGLRFLHQ DGPLQLV

O 'LYH &RQWUR666SHRPLD66\$WPEHU 66,

O &HUWLILFDW G¶DSWLWXGH j O¶KISHUEDULH

&\$%\$/(5 0 257(\$ -)LUVWSPYSHF&HRVQLQHU *D VWURS
&H SKDODVSLGHD LQ WKH \$WODQWLWFLZDWDKMQRWHV RQ LWV
Studies KWWSV GRL RUJ GRL PROOXV HIY
&\$%\$/(5 0 257(\$ - \$ QHZ VLEOIQabrymS H&KQVURI
*D VWURSRGD 1XGLEUDQFKLDJournal of the Marine Biological
Association of the United Kingdom
KWWSV GRL RUJ GRL 6
&\$%\$/(5 0 257(\$ - 5(')(51 & 2 Q W K H s o e l l a H * @ X V
OROOXVFD *D VWURSRGD +HWAmerican Malacological Bulletin WKH %DK
9\$/'e6 È - \$/(\$1'(5) &52&(77\$0 %<2.(ù 6 *, \$&2%%(32856\$1, '\$
=(1(726- /&(59(5\$0 &\$%\$/(5% 6\$/ / 3 -6&+(0%5, 7KH RULJLQ DQG
GLVSHUVDO SDWKZD\ RAp/Walkley/Sea WWRDGOXWEDVQSU MWKREUD
LQ WKH OHGLWHUDQHDQ 6HD Aquatic Invasions

\$ 33 (1 ' , ;

&\$%\$/(50 257(\$ -)LUVWSPNSHFLH RVOLQHU *D VWURS
 &H SKDODVSLGHD LQ WKH \$WODQW WFLZQWVMOQRWHV RQ LWV
Studies GRL PROOXV H\Y
 &\$%\$/(50 257(\$ - \$ QHZ VKDOORZ ZDWHPUline SHFLHV RI
 \$VFDQLXV 0ROOXVFD 2SLVWKREUDQFED of 3KLOLQL
Conchology
 257(\$ - 0252 / &\$%\$/(50 1RWHV LQ 2SLVWKREUDQFKLD
 *D VWURSRGD 2QLRQ HR LQWK HUSRUGHVHDQBNKubensis \QRQ\
 &DUPRQD /HL 3ROD *RVOLQHU BegeDiGkanensis &HUXYRUW
)RO 0ROOXVFD 1XGLRQDQEKALAcadesiH RAdriG LGD
Ciencias ;;9,
 257(\$ - &\$%\$/(50 0252 / (63,126\$:KDW WKH VKHOO W
 \$JODMLGDH D QHz felH Q2SLVWKREUDQFKLD Revis &H SKDODVSLG
Academia Canaria de Ciencias ;;9,
 257(\$ -

&\$%\$//(50 052 / 52(\$ - 1RWDmbjRcEuaH *DUFtD *yPH] \
2UWHD 0ROOXVFD 2SLVWKREULVODKLB &DQDQIRGRUUDGIG
Vieraea
257(\$ - 0252 / &\$%\$//(5 0 'HVFULSFLyX'G(1G('''C

*XWLP UUH]V S L Q R V D *XWLP UUH] - 0 'tDJR*UXHJURD* D-U F P D H U F
 , 'R P t Q J X H] *R Q J i O D H U L \$ D /-D J R & U X Y D L P Y D E O H R Q O L Q H D W
KWWS ZZZ RDJ IXGQWFSBQ RDJW SFRODWB SB, IQIRU
 & D E D O O H U P % H Q P H M R *Report on the state of the ZEC Piña de mar de
 Granadilla, Tenerife 2\$* , QIB)R X Q G I D W R L R P H Q (W D O 2 E V H U Y*
 *U D Q D G L O O D S S , V V X H G O D \ \$ Y D L O D E O H R Q O L Q H
KWWS ZZZ RDJ IXGQWFSBQ RDJW L F R I O W D U B J G I F B S L Q
 2\$* *Environmental monitoring of the port of Granadilla in construction phase.
 Annual Report 2012.- 6 & G H 7 H Q H U L I H U) R X Q R I G O W W D Q Q E Q M L D Y D W R U \ **
 S S , V V X H G O D U F K > 5 H G D F W L R S Q & D H E D P O O H D F K D C
 *XWLP UUH]D P *X H U U D - % H R U P H Q M J R *D U S F t Q *R Q J I P O H Q J X H
 \$ & U X] 6 L P y 7 @ \$ Y D L O D E O H R Q O L Q H D W
IXQGDFLRQ RUJ FRQWHQW SGI RDJ SYDJUB B, QIRUPHB
 O D F K D G R D \$ D O O H U t D Q - *Report on materials used in the construction
 of the port of Granadilla, Tenerife 2\$* , QIB W) R R X Q G (Q Y L U R Q P H Q W*
 2 E V H U Y D W R U \ * U D Q D G S H G O B F S S E H U D E O H R Q O L Q H D W
KWWS ZZZ RDJ IXGQWFSBQ RDJW L F R I O W V S B P D W H U L D
 & D E D O O H U D P K D G R *On the proposal of alternative measures to the awning
 of the trucks in the mitigating of dust in the construction of the port of Granadilla 2\$**
 , QIB)R X Q G D W L R D O (Q E V H B Q P W Q U \ * U D Q D G L O R D H P S E H U
 \$ Y D L O D E O H R Q O L Q H D W
KWWS ZZZ RDJ IXGQWFSBQ RDJW L F R I O W Y D V B D W O R V O H G U R Q S G I
 & D E D O O H U D P K D G R *Assessment on the state of conservation of the ZEC
 ES7020129 Piña de mar de Granadilla 7HQHULIH 2\$* , QIB)R X Q*
 (Q Y L U R Q P H Q W D O 2 E V H U Y D W R U \ * U D Q D G S Y O D L D D S E S O H R , Q O X G
KWWS ZZZ RDJ IXGQWFSBQ RDJW , R R D W D U B S B F B S L Q
 2\$* *Environmental monitoring of the port of Granadilla in construction phase.
 Annual Report 2011.- 6 & G H 7 H Q H U L I H U) R X Q R I G O W W D Q Q E Q M L D Y D W R U \ **
 S S , V V X H G) H E U X D U \ > 5 H G D F W L R S Q & D H E D P O O H D F K D C
 *XWLP UUH]D P *X H U U D - % H R U P H Q M J R *D U S F t Q *R Q J I P O H Q J X H
 \$ & U X] 6 L P y 7 @ \$ Y D L O D E O H R Q O L Q H D W
IXQGDFLRQ RUJ FRQWHQW SGI RDJ SYDJUB B, QIRUPHB
 / X] (V W K H U G D Q K K H O] & D E D O O H U X D Q W \$ p U S O H R P C e N n R n R
assessment of the Sector "Las Monjas" National Park Laguna de Tacarigua, Venezuela
 & O L H Q W 7 D F D U I R J Q D O / B J D R J N Q , 1 D W X I H G \$ X J X V W
 & D E D O O H U (V W D F L y Q X B I P H R W t I L F D G H O , 9 , & H Q + L J X H U R € 0 c

D o }o}P] o ^}] šÇU o Çš}v , oo }u%o(•U hv]ÀšOE]Š >]uCE
o Á OE U E Á OEIUš šorÁv(•W íóríí ip]]šo š íííóXo s š•}}v•
o[u] ^] v • v šµCE oo • o[h]v]À OE%]Š] U šCEŠ•Eh•U•U
íõ ip]oo š íííóX

&DEDOOHU2UWHD - 0DUJLQHOOLGDH WRP*0DDQGHQLTXH
H[SHGLWLRQV 01+1' /D 3ODQHWH 5HYLVLP
&DEDOOHU2UWHD - &VWLVFLGDH IURP*0DDQGHQLTXH
H[SHGLWLRQV 01+1' /D 3ODQHWH 5HYLVLP
&DEDOOHU2UWHD - 2S.LVWURPE0DDQGHQLTXH 3URMHF
3*UDQGHV H[SHGLWLRQV 01+1' /D 3ODQHWH 5HYLVLP
&DEDOOHU2UWHD - 0DUJLQHOOLGDH 3*URPQGXILDQD
H[SHGLWLRQV 01+1' /D 3ODQHWH 5HYLVLP
&DEDOOHU2UWHD - &VWLVFLGDH IURPDQGLDQD 3U
H[SHGLWLRQV 01+1' /D 3ODQHWH 5HYLVLP
&DEDOOHU2UWHD - 2S.LVWURPE0DDQGHQLTXH 3URMHFW 5
3*UDQGHV H[SHGLWLRQV 01+1' /D 3ODQHWH 5HYLVLP
(VSLQRVD - 2UWHD - 6iQFKH] 6RURVTDLEBIOOHU*RO]iOH

*Final report. Establishment of the environmental baseline for the conservation of
biodiversity in the marine area. Inventory of marine mollusks.* , Q 3 U R M H F W
6WUHQJWKHQLQJ LQWHJUDWV & VWLVFLGDH IURPDQGLDQD 3URMHFW 5
*XDQDKDFDELEHV %L3LVWURPE0DDQGHQLTXH 3URMHFW 5
7pFQLFD +DYDQD SS

&21*5(66

,; 6\PSRVLXP RQ WKH ,EHULD&R\$W0DDW13R U0DXJJD0
6HSWHPEHU
x %5812\$/0i1 -\$&,172e5(= 0

x \$55,(&+' 48,17(52\$ 8*\$57(\$ 6\$/=\$5) 9,//\$0,=\$5- (5,9(52
1 &\$%\$//(50 &DUDFWHUL]DFLyQ TXtPLFD SUHOMRLQDU GH
DLVODGR GHO H[WUDFWR BMDQeRedLiFR3GMOHPUR OXVFR PDU
; 9HQH]XHODQ &RQJUHVVWLB(DFRH]XHOD 1RYHPEHU
x 5,9(523\$5('6 1 & &\$5,\$6* &\$%\$//(50 1XGLEUDQTXLRV 0ROO
2SLVWREUDQFKLD GHHQOK &RKWLWLY HWHHGG D9 D3RJVDWH 9 H
,9 9HQH]XHODQ &RQJUHVV RI%RLRLOYDULLFDD 8QYMHUWVWV\ RI
3DUDJXDQD 3HQLGHVXHXH)DDO F-YQH
x 6,9\$6 -\$/)2162- \$\$=2&\$5- \$ &\$%\$//(50 *21=È/(=/ &ROHFFLyQ
GH RUJDQLVPRV PDULQRV GHO &HQWUWRLGRV2GH DQ,ROVWU
9HQH]RODQR GH ,QYHVWLJDFLRQHV &LHQWtILFDV 3RVWH
;, 9HQH]XHODQ &RQJUHVVURDU(LVRDR,MODQG 1XHYD (VSDU
1RYHPEHU
x 1\$5&,626 &\$%\$//(50 %LRGLYHUVLGDG GH OD PDODFRIDXQD
GH)DXQD 6LOYHVWUH ,VOD GH \$YHV 2UDO
x 6È1&+(=5 /È5(=/ &\$%\$//(50 &DWIORJR LOXVWUDGR GH ORV P
GHO VLVWHPD ODJKQ &DUDUHQSHLRD0% QUDLQGB %HUYQXHOD
3RVWHU
x È/9\$5(=%5&2- 52'5,*8(=- 52'5È*8(=& 1\$5&,626 &\$%\$//(50
%77(55 0ROXVFRV DVRFLDGRV DO DUUHFLIDHFERQDO L6DRQ GH
(VWHEDQ &DUDERER 9HQH]XHOD 3RVWHU
, 9HQH]XHODQ &RQJUHVV RI0DUB0BVL\$DOJXLYHUNQW]XHOD

x &\$%\$//(50 1\$5&,626 *\$/ ,1'2 / 5,9(521 'LYHUVLGDG GH PROXVF
,VOD GH \$YHV HO XVR GH JUXSRVLMFUDVLGD GRPDRULQ0LSFD
JHVWLyQ 3RVWHU
;, , , /DWLQ \$PHULFDQ &RQJUHVV RI 0DULQH, 60FLUHQCFHV &2
6FLHQFHV &RQJUHVVVDYD008%\$XED 2FWREHU
x &\$%\$//(50 (63,126\$ <257(\$ - 'HVFULSFLyQ GH GRV QXHYDV
JpQHoburina +LQGV 0ROOXVFD 1HRJDVWURSRGD 0DUJ
3RVWHU
x (63,126\$ 257(\$ - <&\$%\$//(50 1XHYDV HVSHFLGHVGH GHO JpQHU
0ROOXVFD 1HRJDVWURSRGD &\VWVWVFLGDH GH &XED \ :
x &\$%\$//(50 257(\$ - <(63,126\$ 1XHYRV WD[RQHV GHVFULWRV
5HYLVWD GH %LRGLYHUVLGDG 7URSLFDO 3RVWH
9 /DWLQ DPHULFDQ 6\PSRVLXP RQ \$QWD0FRVSR 5HXADR0EK
3RODU 6F/DHQLFHUWDG (FXDGRU 6HSWHPEHU
x &\$%\$//(50 0\$57È1\$ %=\$' \$ 0 <\$=2&\$5vÀfedL\$YHUVLGDG \ DEXQGDQ
LQYHUWHEUDGRV DVRFLDGRV D URHQD %DVXtHDDQDQZHGH O,DV
5H\ -RUJH \$QWiuWQ0D VREQUSUHCFWMLSR X@\$3@ a€4`HLQG

x -2 6 e\$ \$= 2 & \$ 5-2 6 e\$ &È & (5 (6-8 \$ 1 \$ \$/) 2 1 6 2 <\$ 1 (7+9

x &\$%\$(50 052 / 57(2 -

Pruvotfolia rochebruni 2UWHD 0RUR &DEDOOHU
Eubranchnus convenientis 2UWHD &DEDOOHU
Eubranchnus toledanoi 2UWHD &DEDOOHU
Eubranchnus telesforoi 2UWHD &DEDOOHU %DFDOODGR
Eubranchnus vascoi 2UWHD &DEDOOHU 0RUR
Eubranchnus eibesfeldti 2UWHD &DEDOOHU %DFDOODGR
Cratena piutaensis 2UWHD &DEDOOHU (VSLQRVD
Millereolidia ritmica 2UWHD &DEDOOHU (VSLQRVD
Phestilla hakunamatata 2UWHD &DEDOOHU (VSLQRVD
Phidiana adiuncta 2UWHD &DEDOOHU 0RUR
Kankelibranchus incognitus 2UWHD (VSLQRVD &DEDOOHU
Flabellina ilidioi &DODGR 2UWHD &DEDOOHU
Elysia annedupontae 2UWHD (VSLQRVD &DEDOOHU
Alderiopsis garfio &DEDOOHU 2UWHD (VSLQRVD
Hermaea ghanensis &DEDOOHU 2UWHD 0RUR
Doto torrelavega 2UWHD &DEDOOHU
Hermaea nautica &DEDOOHU 2UWHD
Stiliger auarita &DEDOOHU 2UWHD 0RUR
Volvarina ivic &DEDOOHU (VSLQRVD 2UWHD
Volvarina latortuga &DEDOOHU 2UWHD (VSLQRVD
Gibberula palmasola (VSLQRVD 2UWHD &DEDOOHU
Gibberula dosmosquises (VSLQRVD 2UWHD &DEDOOHU
Gibberula thetisae (VSLQRVD 2UWHD &DEDOOHU
Rissoella morrococoyensis &DEDOOHU 2UWHD 1DUFLVR
Rissoella venezolanicola &DEDOOHU 2UWHD 1DUFLVR
Elysia jibacoaensis 2UWHD &DEDOOHU (VSLQRVD
Hypselodoris samueli &DEDOOHU 2UWHD
Dendrodoris karukeraensis 2UWHD (VSLQRVD &DEDOOHU %XVNH
Volvarina morrococoyensis &DEDOOHU (VSLQRVD 2UWHD
Volvarina monchoi &DEDOOHU (VSLQRVD 2UWHD
Volvarina avesensis &DEDOOHU (VSLQRVD 2UWHD
Hyalina nelsyae &DEDOOHU (VSLQRVD 2UWHD 1DUFLVR
Hermaea cubana &DEDOOHU 2UWHD
Aegires ochum 2UWHD (VSLQRVD &DEDOOHU
Hypselodoris fregona 2UWHD &DEDOOHU
Hypselodoris lalique 2UWHD &DEDOOHU
Elysia ellenae 2UWHD (VSLQRVD &DEDOOHU
Elysia leanneae &DEDOOHU 2UWHD (VSLQRVD
Rissoella abacoensis &DEDOOHU 2UWHD 5HG IHUQ
Rissoella edbayeri &DEDOOHU 2UWHD 5HG IHUQ
Rissoella sanguinea &DEDOOHU 2UWHD 5HG IHUQ
Rissoella kennethi &DEDOOHU 2UWHD 5
Notobryon caribbaeus &DEDOOHU 2UWHD
Runcina pacoi 2UWHD 0RUR &DEDOOHU
Okenia ameliae 2UWHD 0RUR &DEDOOHU
Jorunna efe 2UWHD 0RUR &DEDOOHU
Pleurobranchus wirtzi 2UWHD 0RUR &DEDOOHU
Berthellina utris 2UWHD 0RUR &DEDOOHU
Berthella spatula 2UWHD 0RUR &DEDOOHU
Facelinopsis pacodelucia 2UWHD 0RUR &DEDOOHU
Chelidonura quadrata 2UWHD &DEDOOHU (VSLQRVD
Philine buchensis &DEDOOHU 2UWHD
Spiniphiline persei &DEDOOHU 2UWHD
Hermaea cantabra &DEDOOHU 2UWHD
Bulbaeolidia sulphurea &DEDOOHU 2UWHD

Bulbaeolidia oasis &DED00HU 2UWHD
Limacia iberica &DED00HU \$OPyQ 3pUHJ
Hermaea conejera 2UWHD 0RUR &DED00HU
Armina scotti 0HKURWUD &DEDYDQLFK
Armina occulta 0HKURWUD &DED00HU &KDYDQLFK
Marionia gemmii \$OPyQ 3pUHJ &DED00HU
Corambe osculabundus 2UWHD &DED00HU
Phestilla viei 0HKURWUD &DED00HU &KDYDQLFK